

G2588 **Angle** **grinder**

For all your heavy duty applications – chose a reliable and robust 1.7 kW angle grinder that makes hard work an easy task.



Atlas Copco



G2588

ANGLE GRINDER

All the power you need

PRO grinders are a popular choice for surface preparation in general industry. They are lightweight tools that deliver all the power you need, yet easy to handle.

The G2588 angle grinder is designed for heavy duty applications where there is a focus on the reliability of the tool. The robust all aluminum housing offers great protection for the motor and angel gears inside.

Tough applications causes strain on the operator, why the G2588 offers an ergonomically designed angled handle together with a rubber handle grip and adjustable wheel guard. To further keep productivity at it's peak, the G2588 is equipped with a speed governor to ensure that the tool operates at optimum speed at all times. All in all to make hard work an easy task!



Always use premium abrasives

G2588 Angle Grinder

Model	Max free speed r/min	Max output kW	Max wheel dia mm	Spindle thread	Spindle length mm	Weight kg	Height over spindle mm	Air consumption at max output l/s	Air consumption at free speed l/s	Rec hose size mm	Air inlet thread BSP	Ordering No.
Grinder												
G2588-230-M14	6600	1.7	230	M14	17	2.4	98.5	36	17	16	1/2"	8423 0132 82
G2588-180-M14	8500	1.7	180	M14	14	2.4	91.5	36	17	16	1/2"	8423 0132 88
G2588-180-072-M14	7200	1.7	180	M14	17	2.4	91.5	36.0	17	16	1/2"	8423 0132 87*
Sander												
G2588-S066	6600	1.7	180	UNC 5/8"	24.5	2.4	100.5	36.0	17	16	1/2"	8423 0132 80
G2588-S085-M14	8500	1.7	180	M14	21	2.4	92.5	36.0	17	16	1/2"	8423 0132 81

* To be used with disc rated at maximum 72m/s



Features

- A** The speed governor ensures optimal process speed and high productivity.
- B** The high power to weight ratio GTG2588 delivers 1700 Watt and weighs in at just 2,4 kg.
- C** Double air filters for long life and high durability.
- D** Low profile angle head for maximum accessibility and ease of work.
- E** Well sealed and lubricated gears for a long lifetime. Grease change once per year in one shift and twice in multi shift.
- F** Spindle lock for quick and safe wheel change.
- G** Safety lever to help operator avoid unintentional start of tool.
- H** Work with a straight wrist and avoid carpal tunnel problems with ergonomically, angles handles.
- I** Durable wheel guard.
- J** Over speed protection.

Accessories

	Ordering No.
Flange washer	4150 1160 02
Flange washer cut off wheels	4150 1160 05
Support handle	4110 1355 89
Locking kit	4170 1188 94
Service kit	4081 0312 90
Support handle, vibration damped	4150 1521 80



93149

COMMITTED TO SUSTAINABLE PRODUCTIVITY

We stand by our responsibilities towards our customers,
towards the environment and the people around us.
We make performance stand the test of time.
This is what we call – Sustainable Productivity.

www.atlascopco.com

Atlas Copco